FeltBuster® High-Traction Synthetic Roofing Felt Sell Sheet

(**RESUL183**)

Updated: 10/18





Learn about Roof Deck Protection

Help Protect Your Home From Damaging Moisture With Quality

Roof Deck Protection

FeltBuster® High-Traction Synthetic Roofing Felt is critical for helping to prevent wind-driven rain from infiltrating under the roof's shingles and potentially damaging the home's structure and interior.

Traditional asphalt felt underlayments can tear easily and absorb moisture, which can lead to wrinkling that "telegraphs" through the shingles. Competitively priced with typical asphalt felts (pricing varies by market), FeltBuster® High-Traction Synthetic Roofing Felt:

- Includes a specially designed surface for enhanced walkability and a cooler working surface (vs. typical black felts)
- Helps resist tearing on the roof
- Helps avoid wrinkling that can "telegraph" through the shingles, detracting from the finished look of the roof
- Will not absorb moisture, become brittle, or leach oils





FeltBuster® High-Traction Synthetic Roofing Felt is a key part of the GAF Lifetime Roofing System*, and has even earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazine for its consumer protection policy. Applicable in U.S. only.)





HIGH-TRACTION SYNTHETIC ROOFING FELT

Homeowner's Quality Choice

- *Durable Construction*... Non-asphaltic, polypropylene construction for long-lasting performance (unlike conventional felts that can disintegrate over time)
- *Great Look...* Helps avoid "telegraphing" of wrinkles, which can detract from the look of your new roof
- *Peace of Mind...* Part of the GAF Lifetime Roofing System and eligible for up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs*

Professional's Quality Choice

- Enhanced Walkability... Special spunbound surface helps provide increased traction vs. traditional asphalt felts
- Competitively Priced... Per square with asphalt felts (pricing varies by market)
- *Tough Synthetic Construction...* Helps resist tearing underfoot and in high winds
- *Easy to Work With...* Super-lightweight, 10 square, 48" (1.23 m) wide roll (vs. typical 36" [914 mm] wide felt rolls)
- Cooler to Work On... Medium-gray surface is up to 30 degrees cooler than typical black asphalt felts**
- * See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the GAF Shingle & Accessory Ltd. Warranty and means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.
- ** Based on GAF testing with underlayments installed on plywood deck at 90°F (32.2°C) ambient temperature and left exposed to direct sunlight.
- *** NOTE: 90-day UV resistance refers to standardized testing conducted by GAF to ensure the product will not physically degrade when exposed to UV. It is NOT related to withstanding water, snow, or wind. While FeltBuster* High-Traction Synthetic Roofing Felt is water resistant, it is NOT WATERPROOF. DO NOT USE FeltBuster* High-Traction Synthetic Roofing Felt as a temporary roof to protect property or possessions.

COBRA® ATTIC

SHINGLES VENTILATION





Nominal Specifications

- For use with asphalt shingles
- 10 squares/roll 1,000 sq. ft. (92.9 m²) (excludes laps)
- 48" x 250' (1.23 m x 76.2 m)
- Resists UV degradation for up to 90 days***
- Approx. 23 lb. (10.4 kg)/roll
- Meets or exceeds the physical requirements of ASTM D226 and D4869
- CSA A123.3
- State of Florida approved
- Miami-Dade County Product Control approved
- Listed with Texas Department of Insurance as an acceptable alternate roof underlayment

NOTE: Always install FeltBuster® High-Traction Synthetic Roofing Felt using plastic cap nails or plastic cap staples. Do **NOT** use nails or staples without caps.

More Than Just Coverage On Your Shingles!

Get Automatic

Lifetime Protection

On Your Entire GAF Roofing System!*

When you install any GAF Lifetime Shingle and at least 3 qualifying GAF accessories, you'll automatically get:

- A Lifetime ltd. warranty on your shingles and all qualifying GAF accessories!*
- Non-prorated coverage for the first 10 years*



ROOF DECK LEAK

PROTECTION BARRIER

STARTER STRIP RIDGE

RIDGE CAP SHINGLES



See GAF Shingle & Accessory
Ltd. Warranty for complete
coverage and restrictions. The
word "Litetime" refers to the
length of coverage provided by
the GAF Shingle & Accessory
Ltd. Warranty and means as
long as the original individual
owner(s) of a single-lamily
detached residence for the
second owner(s) in certain
circumstances) owns the
property where the shingles and
accessories are installed. For
owners/Structures not meeting
the above criteria, Lifetime
coverage is not applicable.
Lifetime Ltd. Warranty on
accessories requires the use
of at least three qualifying GAF
accessories and the use of
Lifetime Shingles.





The GAF Lifetime Roofing System has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazime for its consumer protection policy. Applicable in U.S. only.)

